

Collectionen des Internet Explorers - Übersicht (englisch)

- Collectionen des Internet Explorers - Übersicht (englisch)..... 1
- 1. Collection .all..... 1
- 2. Collection .anchors 2
- 3. Collection .applets 2
- 4. Collection .areas..... 3
- 5. Collection .attributes..... 3
- 6. Collection .behaviorUrns 3
- 7. Collection .blockFormats..... 4
- 8. Collection .boundElements 4
- 9. Collection .cells 4
- 10. Collection .childNodes..... 5
- 11. Collection .children..... 5
- 12. Collection .controlRange 5
- 13. Collection .document.all 6
- 14. Collection .elements..... 6
- 15. Collection .embeds..... 6
- 16. Collection .filters 6
- 17. Collection .fonts..... 7
- 18. Collection .forms 7
- 19. Collection .frames 7
- 20. Collection .images 8
- 21. Collection .imports..... 8
- 22. Collection .links 8
- 23. Collection .namespaces..... 8
- 24. Collection .options 8
- 25. Collection .pages..... 9
- 26. Collection .plugins 9
- 27. Collection .rows 9
- 28. Collection .rules 10
- 29. Collection .scripts 10
- 30. Collection .styleSheets..... 10
- 31. Collection .tBodies..... 10
- 32. Collection .TextRange 11
- 33. Collection .TextRectangle..... 11

Hinweis:

Wenn ein HTML-Tag als Zeigernamen in der Punktnotation verwendet wird, dann ist der konkrete Zeiger auf ein Objekt mit Typ laut HTML-Tag gemeint (Objekt erstellbar z.b. per .createElement(tag_bezeichner_als_string))
 Das gleiche gilt für Dialog Helper (Objekt dlgHelper) etc..

1. Collection .all

Objekte mit der Collection:

A, ACRONYM, ADDRESS, APPLET, AREA, B, BASE, BASEFONT, BDO, BGSOUND, BIG, BLOCKQUOTE, BODY, BUTTON, CAPTION, CENTER, CITE, CODE, COL, COLGROUP, CUSTOM, DD, DEL, DFN, DIR, DIV, DL, document, DT, EM, EMBED, FIELDSET, FONT, FORM, FRAME, FRAMESET, HEAD, hn, HR, HTML, I, IFRAME, IMG, INS, KBD, LABEL, LEGEND, LI, LINK, LISTING, MAP, MARQUEE, MENU, OBJECT, OL, P, PLAINTEXT, PRE, Q, S, SAMP, SCRIPT, SELECT, SMALL, SPAN, STRIKE, STRONG, SUB, SUP, TABLE, TBODY, TD, TEXTAREA, TFOOT, TH, THEAD, TITLE, TR, TT, U, UL, VAR, XMP

Syntax:

```
[ collAll = ] object.all
[ oObject = ] object.all(vIndex [, iSubIndex])
```

collAll Array of elements contained by the object.
 oObject Reference to an individual item in the array of elements contained by the object.

