

## What's New in Internet Explorer 8 (Script)



This page lists the new scripting features added in Internet Explorer 8.

### CSS Features

[\*\*:after Pseudo-class\*\*](http://msdn.microsoft.com/en-us/library/cc304076(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304076\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304076(VS.85).aspx) ]

Defines generated content that appears after an element.

[\*\*:before Pseudo-class\*\*](http://msdn.microsoft.com/en-us/library/cc304078(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304078\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304078(VS.85).aspx) ]

Defines generated content that appears before an element.

[\*\*:focus Pseudo-class\*\*](http://msdn.microsoft.com/en-us/library/cc304080(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304080\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304080(VS.85).aspx) ]

Sets the style of an element when it gains focus.

[\*\*:lang\(C\) Pseudo-class\*\*](http://msdn.microsoft.com/en-us/library/cc848867(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848867\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848867(VS.85).aspx) ]

In a document, selects the elements that are in a given language.

[\*\*borderSpacing Property\*\*](http://msdn.microsoft.com/en-us/library/cc304069(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304069\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304069(VS.85).aspx) ]

Sets or retrieves the distance between the borders of adjoining cells in a table.

[\*\*boxSizing Property\*\*](http://msdn.microsoft.com/en-us/library/cc196965(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc196965\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc196965(VS.85).aspx) ]

Sets or retrieves the box model to use for object sizing.

[\*\*captionSide Property\*\*](http://msdn.microsoft.com/en-us/library/cc304060(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304060\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304060(VS.85).aspx) ]

Sets or retrieves where the [\*\*caption\*\*](http://msdn.microsoft.com/en-us/library/ms535213(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/ms535213\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ms535213(VS.85).aspx) ] of a [\*\*table\*\*](http://msdn.microsoft.com/en-us/library/ms535901(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/ms535901\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ms535901(VS.85).aspx) ] is located.

[\*\*content Property\*\*](http://msdn.microsoft.com/en-us/library/cc304061(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304061\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304061(VS.85).aspx) ]

Sets or retrieves generated content to insert before or after an element.

[\*\*counterIncrement Property\*\*](http://msdn.microsoft.com/en-us/library/cc196963(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc196963\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc196963(VS.85).aspx) ]

Sets or retrieves a list of counters to increment.

[\*\*counterReset Property\*\*](http://msdn.microsoft.com/en-us/library/cc196964(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc196964\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc196964(VS.85).aspx) ]

Sets or retrieves a list of counters to create or reset to zero.

**[display Property](http://msdn.microsoft.com/en-us/library/ms530751(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/ms530751\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ms530751(VS.85).aspx) ]

The [display](#) [ [http://msdn.microsoft.com/en-us/library/ms530751\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ms530751(VS.85).aspx) ] property now supports the full range of table layout values from the [W3C Cascading Style Sheets Level 2.1 Specification](#) [ <http://www.w3.org/TR/CSS21/> ] and ruby styles from the [CSS3 Ruby Module](#) [ <http://www.w3.org/TR/css3-ruby/> ] .

**[emptyCells Property](http://msdn.microsoft.com/en-us/library/cc848860(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc848860\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848860(VS.85).aspx) ]

Determines whether to show or hide a cell without content.

**[msBlockProgression Property](http://msdn.microsoft.com/en-us/library/cc848903(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc848903\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848903(VS.85).aspx) ]

Sets or retrieves the block progression and layout orientation.

**[orphans Property](http://msdn.microsoft.com/en-us/library/cc304062(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304062\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304062(VS.85).aspx) ]

Sets or retrieves the minimum number of lines of a paragraph that must appear at the bottom of a page.

**[outline Property](http://msdn.microsoft.com/en-us/library/cc304063(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304063\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304063(VS.85).aspx) ]

Sets or retrieves the color, style, and width of the outline frame.

**[outlineColor Property](http://msdn.microsoft.com/en-us/library/cc304064(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304064\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304064(VS.85).aspx) ]

Sets or retrieves the color of the outline frame.

**[outlineStyle Property](http://msdn.microsoft.com/en-us/library/cc304065(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304065\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304065(VS.85).aspx) ]

Sets or retrieves the style of the outline frame.

**[outlineWidth Property](http://msdn.microsoft.com/en-us/library/cc304066(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304066\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304066(VS.85).aspx) ]

Sets or retrieves the width of the outline frame.

**[pageBreakInside Property](http://msdn.microsoft.com/en-us/library/cc304067(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304067\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304067(VS.85).aspx) ]

Sets or retrieves a string indicating whether a page break is allowed to occur inside the object.

**[quotes Property](http://msdn.microsoft.com/en-us/library/cc848904(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc848904\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848904(VS.85).aspx) ]

Sets or retrieves the pairs of strings to be used as quotes in generated content.

**[widows Property](http://msdn.microsoft.com/en-us/library/cc304068(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/cc304068\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304068(VS.85).aspx) ]

Sets or retrieves the minimum number of lines of a paragraph that must appear at the top of a page.

## Objects

**[Attr Constructor](http://msdn.microsoft.com/en-us/library/dd347043(VS.85).aspx)** [ [http://msdn.microsoft.com/en-us/library/dd347043\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/dd347043(VS.85).aspx) ]

Defines the properties and methods inherited by objects in the [Attr Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347043(VS.85).aspx ] prototype chain.

**[BehaviorUrnsCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347044(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [BehaviorUrnsCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347044(VS.85).aspx ] prototype chain.

**[BookmarkCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347045(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [BookmarkCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347045(VS.85).aspx ] prototype chain.

**[CompatibleInfo Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347046(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CompatibleInfo Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347046(VS.85).aspx ] prototype chain.

**[CompatibleInfoCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347047(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CompatibleInfoCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347047(VS.85).aspx ] prototype chain.

**[ControlRangeCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347048(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [ControlRangeCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347048(VS.85).aspx ] prototype chain.

**[CSSCurrentStyleDeclaration Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347049(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CSSCurrentStyleDeclaration Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347049(VS.85).aspx ] prototype chain.

**[CSSRuleList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347050(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CSSRuleList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347050(VS.85).aspx ] prototype chain.

**[CSSRuleStyleDeclaration Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347051(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CSSRuleStyleDeclaration Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347051(VS.85).aspx ] prototype chain.

**[CSSStyleDeclaration Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347052(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CSSStyleDeclaration Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347052(VS.85).aspx ] prototype chain.

**[CSSStyleRule Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347053(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CSSStyleRule Constructor](http://msdn.microsoft.com/en-us/library/dd347053(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347053(VS.85).aspx ] prototype chain.

**[CSSStyleSheet Constructor](http://msdn.microsoft.com/en-us/library/dd347054(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347054(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [CSSStyleSheet Constructor](http://msdn.microsoft.com/en-us/library/dd347054(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347054(VS.85).aspx ] prototype chain.

**[DataTransfer Constructor](http://msdn.microsoft.com/en-us/library/dd347055(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347055(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [DataTransfer Constructor](http://msdn.microsoft.com/en-us/library/dd347055(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347055(VS.85).aspx ] prototype chain.

**[DOMImplementation Constructor](http://msdn.microsoft.com/en-us/library/dd347056(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347056(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [DOMImplementation Constructor](http://msdn.microsoft.com/en-us/library/dd347056(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347056(VS.85).aspx ] prototype chain.

**[Element Constructor](http://msdn.microsoft.com/en-us/library/dd347058(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347058(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [Element Constructor](http://msdn.microsoft.com/en-us/library/dd347058(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347058(VS.85).aspx ] prototype chain.

**[Event Constructor](http://msdn.microsoft.com/en-us/library/dd347059(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347059(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [Event Constructor](http://msdn.microsoft.com/en-us/library/dd347059(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347059(VS.85).aspx ] prototype chain.

**[History Constructor](http://msdn.microsoft.com/en-us/library/dd347060(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347060(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [History Constructor](http://msdn.microsoft.com/en-us/library/dd347060(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347060(VS.85).aspx ] prototype chain.

**[HTCBehavior Constructor](http://msdn.microsoft.com/en-us/library/dd347061(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347061(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [HTCBehavior Constructor](http://msdn.microsoft.com/en-us/library/dd347061(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347061(VS.85).aspx ] prototype chain.

**[HTCElementBehaviorDefaults Constructor](http://msdn.microsoft.com/en-us/library/dd347062(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347062(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [HTCElementBehaviorDefaults Constructor](http://msdn.microsoft.com/en-us/library/dd347062(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347062(VS.85).aspx ] prototype chain.

**[HTMLAnchorElement Constructor](http://msdn.microsoft.com/en-us/library/dd347063(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347063(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [HTMLAnchorElement Constructor](http://msdn.microsoft.com/en-us/library/dd347063(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347063(VS.85).aspx ] prototype chain.

**[HTMLAreaElement Constructor](http://msdn.microsoft.com/en-us/library/dd347064(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347064(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [HTMLAreaElement Constructor](http://msdn.microsoft.com/en-us/library/dd347064(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347064(VS.85).aspx ] prototype chain.

[\*\*HTMLAreasCollection Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347065(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347065(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLAreasCollection Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347065(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347065(VS.85).aspx ] prototype chain.

[\*\*HTMLBaseElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347066(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347066(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLBaseElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347066(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347066(VS.85).aspx ] prototype chain.

[\*\*HTMLBaseFontElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347067(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347067(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLBaseFontElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347067(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347067(VS.85).aspx ] prototype chain.

[\*\*HTMLBGSoundElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347068(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347068(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLBGSoundElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347068(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347068(VS.85).aspx ] prototype chain.

[\*\*HTMLBlockElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347069(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347069(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLBlockElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347069(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347069(VS.85).aspx ] prototype chain.

[\*\*HTMLBodyElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347070(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347070(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLBodyElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347070(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347070(VS.85).aspx ] prototype chain.

[\*\*HTMLBRElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347071(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347071(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLBRElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347071(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347071(VS.85).aspx ] prototype chain.

[\*\*HTMLButtonElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347072(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347072(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLButtonElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347072(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347072(VS.85).aspx ] prototype chain.

[\*\*HTMLCollection Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347073(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347073(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLCollection Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347073(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347073(VS.85).aspx ] prototype chain.

[\*\*HTMLCommentElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347074(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347074(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLCommentElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347074(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347074(VS.85).aspx ] prototype chain.

[\*\*HTMLDDElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347075(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347075(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLDDElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347075(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347075(VS.85).aspx ] prototype chain.

[\*\*HTMLDivElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347076(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347076(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLDivElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347076(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347076(VS.85).aspx ] prototype chain.

[\*\*HTMLListElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347077(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347077(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLListElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347077(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347077(VS.85).aspx ] prototype chain.

[\*\*HTMLDocument Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347078(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347078(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLDocument Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347078(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347078(VS.85).aspx ] prototype chain.

[\*\*DocumentCompatibleInfo\*\*](http://msdn.microsoft.com/en-us/library/cc197033(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197033(VS.85).aspx ]

Provides information about the compatibility mode specified by the Web page. If the Web page specifies multiple compatibility modes, they can be retrieved using [\*\*documentCompatibleInfoCollection\*\*](http://msdn.microsoft.com/en-us/library/cc304128(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304128(VS.85).aspx ].

[\*\*HTMLDTElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347079(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347079(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLDTElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347079(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347079(VS.85).aspx ] prototype chain.

[\*\*HTMLEmbedElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347080(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347080(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLEmbedElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347080(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347080(VS.85).aspx ] prototype chain.

[\*\*HTMLFieldSetElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347081(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347081(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLFieldSetElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347081(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347081(VS.85).aspx ] prototype chain.

[\*\*HTMLFontElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347082(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347082(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLFontElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347082(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347082(VS.85).aspx ] prototype chain.

[\*\*HTMLFormElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347083(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347083(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLFormElement Constructor](http://msdn.microsoft.com/en-us/library/dd347083(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347083(VS.85).aspx ] prototype chain.

[HTMLFrameElement Constructor](http://msdn.microsoft.com/en-us/library/dd347084(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347084(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLFrameElement Constructor](http://msdn.microsoft.com/en-us/library/dd347084(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347084(VS.85).aspx ] prototype chain.

[HTMLFrameSetElement Constructor](http://msdn.microsoft.com/en-us/library/dd347085(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347085(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLFrameSetElement Constructor](http://msdn.microsoft.com/en-us/library/dd347085(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347085(VS.85).aspx ] prototype chain.

[HTMLGenericElement Constructor](http://msdn.microsoft.com/en-us/library/dd347086(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347086(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLGenericElement Constructor](http://msdn.microsoft.com/en-us/library/dd347086(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347086(VS.85).aspx ] prototype chain.

[HTMLHeadElement Constructor](http://msdn.microsoft.com/en-us/library/dd347087(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347087(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLHeadElement Constructor](http://msdn.microsoft.com/en-us/library/dd347087(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347087(VS.85).aspx ] prototype chain.

[HTMLHeadingElement Constructor](http://msdn.microsoft.com/en-us/library/dd347088(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347088(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLHeadingElement Constructor](http://msdn.microsoft.com/en-us/library/dd347088(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347088(VS.85).aspx ] prototype chain.

[HTMLHRElement Constructor](http://msdn.microsoft.com/en-us/library/dd347089(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347089(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLHRElement Constructor](http://msdn.microsoft.com/en-us/library/dd347089(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347089(VS.85).aspx ] prototype chain.

[HTMLHtmlElement Constructor](http://msdn.microsoft.com/en-us/library/dd347090(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347090(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLHtmlElement Constructor](http://msdn.microsoft.com/en-us/library/dd347090(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347090(VS.85).aspx ] prototype chain.

[HTMLIFrameElement Constructor](http://msdn.microsoft.com/en-us/library/dd347091(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347091(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLIFrameElement Constructor](http://msdn.microsoft.com/en-us/library/dd347091(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347091(VS.85).aspx ] prototype chain.

[HTMLImageElement Constructor](http://msdn.microsoft.com/en-us/library/dd347092(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347092(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLImageElement Constructor](http://msdn.microsoft.com/en-us/library/dd347092(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347092(VS.85).aspx ] prototype chain.

[HTMLInputElement Constructor](http://msdn.microsoft.com/en-us/library/dd347093(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347093(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLInputElement Constructor](http://msdn.microsoft.com/en-us/library/dd347093(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347093(VS.85).aspx ] prototype chain.

[HTMLIndexElement Constructor](http://msdn.microsoft.com/en-us/library/dd347094(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347094(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLIndexElement Constructor](http://msdn.microsoft.com/en-us/library/dd347094(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347094(VS.85).aspx ] prototype chain.

[HTMLLabelElement Constructor](http://msdn.microsoft.com/en-us/library/dd347095(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347095(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLLabelElement Constructor](http://msdn.microsoft.com/en-us/library/dd347095(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347095(VS.85).aspx ] prototype chain.

[HTMLLegendElement Constructor](http://msdn.microsoft.com/en-us/library/dd347096(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347096(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLLegendElement Constructor](http://msdn.microsoft.com/en-us/library/dd347096(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347096(VS.85).aspx ] prototype chain.

[HTMLLIElement Constructor](http://msdn.microsoft.com/en-us/library/dd347097(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347097(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLLIElement Constructor](http://msdn.microsoft.com/en-us/library/dd347097(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347097(VS.85).aspx ] prototype chain.

[HTMLLinkElement Constructor](http://msdn.microsoft.com/en-us/library/dd347098(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347098(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLLinkElement Constructor](http://msdn.microsoft.com/en-us/library/dd347098(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347098(VS.85).aspx ] prototype chain.

[HTMLMapElement Constructor](http://msdn.microsoft.com/en-us/library/dd347099(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347099(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLMapElement Constructor](http://msdn.microsoft.com/en-us/library/dd347099(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347099(VS.85).aspx ] prototype chain.

[HTMLMarqueeElement Constructor](http://msdn.microsoft.com/en-us/library/dd347100(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347100(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLMarqueeElement Constructor](http://msdn.microsoft.com/en-us/library/dd347100(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347100(VS.85).aspx ] prototype chain.

[HTMLMetaElement Constructor](http://msdn.microsoft.com/en-us/library/dd347101(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347101(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLMetaElement Constructor](http://msdn.microsoft.com/en-us/library/dd347101(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347101(VS.85).aspx ] prototype chain.

[HTMLModelessDialog Constructor](http://msdn.microsoft.com/en-us/library/dd347102(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347102(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLModelessDialog Constructor](http://msdn.microsoft.com/en-us/library/dd347102(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347102(VS.85).aspx ] prototype chain.

[HTMLNamespaceInfo Constructor](http://msdn.microsoft.com/en-us/library/dd347103(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347103(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLNamespaceInfo Constructor](http://msdn.microsoft.com/en-us/library/dd347103(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347103(VS.85).aspx ] prototype chain.

[HTMLNamespaceInfoCollection Constructor](http://msdn.microsoft.com/en-us/library/dd347104(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347104(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLNamespaceInfoCollection Constructor](http://msdn.microsoft.com/en-us/library/dd347104(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347104(VS.85).aspx ] prototype chain.

[HTMLNextIdElement Constructor](http://msdn.microsoft.com/en-us/library/dd347105(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347105(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLNextIdElement Constructor](http://msdn.microsoft.com/en-us/library/dd347105(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347105(VS.85).aspx ] prototype chain.

[HTMLObjectElement Constructor](http://msdn.microsoft.com/en-us/library/dd347106(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347106(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLObjectElement Constructor](http://msdn.microsoft.com/en-us/library/dd347106(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347106(VS.85).aspx ] prototype chain.

[HTMLListElement Constructor](http://msdn.microsoft.com/en-us/library/dd347107(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347107(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLListElement Constructor](http://msdn.microsoft.com/en-us/library/dd347107(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347107(VS.85).aspx ] prototype chain.

[HTMLOptionElement Constructor](http://msdn.microsoft.com/en-us/library/dd347108(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347108(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLOptionElement Constructor](http://msdn.microsoft.com/en-us/library/dd347108(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347108(VS.85).aspx ] prototype chain.

[HTMLParagraphElement Constructor](http://msdn.microsoft.com/en-us/library/dd347109(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347109(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLParagraphElement Constructor](http://msdn.microsoft.com/en-us/library/dd347109(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347109(VS.85).aspx ] prototype chain.

[HTMLParamElement Constructor](http://msdn.microsoft.com/en-us/library/dd347110(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347110(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLParamElement Constructor](http://msdn.microsoft.com/en-us/library/dd347110(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347110(VS.85).aspx ] prototype chain.

[HTMLPhraseElement Constructor](http://msdn.microsoft.com/en-us/library/dd347112(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347112(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLPhraseElement Constructor](http://msdn.microsoft.com/en-us/library/dd347112(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347112(VS.85).aspx ] prototype chain.

[HTMLPluginsCollection Constructor](http://msdn.microsoft.com/en-us/library/dd347113(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347113(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLPluginsCollection Constructor](http://msdn.microsoft.com/en-us/library/dd347113(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347113(VS.85).aspx ] prototype chain.

[HTMLPopup Constructor](http://msdn.microsoft.com/en-us/library/dd347114(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347114(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLPopup Constructor](http://msdn.microsoft.com/en-us/library/dd347114(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347114(VS.85).aspx ] prototype chain.

[HTMLScriptElement Constructor](http://msdn.microsoft.com/en-us/library/dd347115(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347115(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLScriptElement Constructor](http://msdn.microsoft.com/en-us/library/dd347115(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347115(VS.85).aspx ] prototype chain.

[HTMLSelectElement Constructor](http://msdn.microsoft.com/en-us/library/dd347116(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347116(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLSelectElement Constructor](http://msdn.microsoft.com/en-us/library/dd347116(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347116(VS.85).aspx ] prototype chain.

[HTMLSpanElement Constructor](http://msdn.microsoft.com/en-us/library/dd347117(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347117(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLSpanElement Constructor](http://msdn.microsoft.com/en-us/library/dd347117(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347117(VS.85).aspx ] prototype chain.

[Storage](http://msdn.microsoft.com/en-us/library/cc197063(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197063(VS.85).aspx ]

Represents the list of key/value pairs that have been assigned to a single storage area.

[HTMLStyleElement Constructor](http://msdn.microsoft.com/en-us/library/dd347118(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347118(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLStyleElement Constructor](http://msdn.microsoft.com/en-us/library/dd347118(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347118(VS.85).aspx ] prototype chain.

[HTMLTableCaptionElement Constructor](http://msdn.microsoft.com/en-us/library/dd347119(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347119(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLTableCaptionElement Constructor](http://msdn.microsoft.com/en-us/library/dd347119(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347119(VS.85).aspx ] prototype chain.

[HTMLTableCellElement Constructor](http://msdn.microsoft.com/en-us/library/dd347120(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347120(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLTableCellElement Constructor](http://msdn.microsoft.com/en-us/library/dd347120(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347120(VS.85).aspx ] prototype chain.

[HTMLTableColElement Constructor](http://msdn.microsoft.com/en-us/library/dd347121(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347121(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLTableColElement Constructor](http://msdn.microsoft.com/en-us/library/dd347121(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347121(VS.85).aspx ] prototype chain.

[HTMLTableElement Constructor](http://msdn.microsoft.com/en-us/library/dd347122(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347122(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLTableElement Constructor](http://msdn.microsoft.com/en-us/library/dd347122(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347122(VS.85).aspx ] prototype chain.

[HTMLTableRowElement Constructor](http://msdn.microsoft.com/en-us/library/dd347123(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347123(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [HTMLTableRowElement Constructor](http://msdn.microsoft.com/en-us/library/dd347123(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347123(VS.85).aspx ] prototype chain.

[\*\*HTMLTableSectionElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347124(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347124(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLTableSectionElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347124(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347124(VS.85).aspx ] prototype chain.

[\*\*HTMLTextAreaElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347125(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347125(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLTextAreaElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347125(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347125(VS.85).aspx ] prototype chain.

[\*\*HTMLTitleElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347126(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347126(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLTitleElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347126(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347126(VS.85).aspx ] prototype chain.

[\*\*HTMLULListElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347127(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347127(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*HTMLULListElement Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347127(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347127(VS.85).aspx ] prototype chain.

[\*\*Location Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347128(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347128(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*Location Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347128(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347128(VS.85).aspx ] prototype chain.

[\*\*NamedNodeMap Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347129(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347129(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*NamedNodeMap Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347129(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347129(VS.85).aspx ] prototype chain.

[\*\*Navigator Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347130(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347130(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*Navigator Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347130(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347130(VS.85).aspx ] prototype chain.

[\*\*NodeList Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347131(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347131(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*NodeList Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347131(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347131(VS.85).aspx ] prototype chain.

[\*\*Screen Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347132(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347132(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*Screen Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347132(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347132(VS.85).aspx ] prototype chain.

[\*\*Selection Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347133(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347133(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [\*\*Selection Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347133(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347133(VS.85).aspx ] prototype chain.

[\*\*StaticNodeList Constructor\*\*](http://msdn.microsoft.com/en-us/library/dd347134(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347134(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [StaticNodeList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347134(VS.85).aspx ] prototype chain.

**[Storage Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347135(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [Storage Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347135(VS.85).aspx ] prototype chain.

**[StyleSheetList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347136(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [StyleSheetList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347136(VS.85).aspx ] prototype chain.

**[StyleSheetPage Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347137(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [StyleSheetPage Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347137(VS.85).aspx ] prototype chain.

**[StyleSheetPageList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347138(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [StyleSheetPageList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347138(VS.85).aspx ] prototype chain.

**[Text Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347139(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [Text Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347139(VS.85).aspx ] prototype chain.

**[TextRange Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347140(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [TextRange Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347140(VS.85).aspx ] prototype chain.

**[TextRangeCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347141(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [TextRangeCollection Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347141(VS.85).aspx ] prototype chain.

**[TextRectangle Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347142(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [TextRectangle Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347142(VS.85).aspx ] prototype chain.

**[TextRectangleList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347143(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [TextRectangleList Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347143(VS.85).aspx ] prototype chain.

**[Window Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347144(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [Window Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347144(VS.85).aspx ] prototype chain.

**[XDomainRequest Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347145(VS.85).aspx ]**

Defines the properties and methods inherited by objects in the [XDomainRequest Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347145(VS.85).aspx ] prototype chain.

[XDomainRequest](#) [ http://msdn.microsoft.com/en-us/library/cc288060(VS.85).aspx ]

Represents a cross-domain Asynchronous JavaScript and XML (AJAX) request.

[XMLHttpRequest Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347146(VS.85).aspx ]

Defines the properties and methods inherited by objects in the [XMLHttpRequest Constructor](#) [ http://msdn.microsoft.com/en-us/library/dd347146(VS.85).aspx ] prototype chain.

## Methods/Properties

[abort Method](#) [ http://msdn.microsoft.com/en-us/library/cc288129(VS.85).aspx ]

The abort method terminates a pending [send](#) [ http://msdn.microsoft.com/en-us/library/cc288207(VS.85).aspx ] .

[AddService Method](#) [ http://msdn.microsoft.com/en-us/library/cc197034(VS.85).aspx ]

User initiated action to add a service.

[AddToFavoritesBar Method](#) [ http://msdn.microsoft.com/en-us/library/cc197035(VS.85).aspx ]

Adds a URL to the **Favorites Bar**.

[ariaActivedescendant Property](#) [ http://msdn.microsoft.com/en-us/library/dd347027(VS.85).aspx ]

Sets or retrieves the currently active child element.

[ariaBusy Property](#) [ http://msdn.microsoft.com/en-us/library/cc304074(VS.85).aspx ]

Sets or retrieves a value indicating whether a live region is finished updating.

[ariaChecked Property](#) [ http://msdn.microsoft.com/en-us/library/cc304075(VS.85).aspx ]

Sets or retrieves the checked state of this element.

[ariaControls Property](#) [ http://msdn.microsoft.com/en-us/library/cc848872(VS.85).aspx ]

Sets or retrieves the list of elements that are controlled by the current element.

[ariaDescribedby Property](#) [ http://msdn.microsoft.com/en-us/library/cc848873(VS.85).aspx ]

Sets or retrieves a list of elements that describe the current object.

[ariaDisabled Property](#) [ http://msdn.microsoft.com/en-us/library/cc304077(VS.85).aspx ]

Sets or retrieves the disabled state of this element.

[ariaExpanded Property](#) [ http://msdn.microsoft.com/en-us/library/cc304079(VS.85).aspx ]

Sets or retrieves the expanded state of this element.

[\*\*ariaFlowto Property\*\*](http://msdn.microsoft.com/en-us/library/cc848874(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc848874(VS.85).aspx ]

Sets or retrieves the recommended reading order of content.

[\*\*ariaHaspopup Property\*\*](http://msdn.microsoft.com/en-us/library/cc304081(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304081(VS.85).aspx ]

Sets or retrieves a value indicating whether this element may display a pop-up window.

[\*\*ariaHidden Property\*\*](http://msdn.microsoft.com/en-us/library/cc304083(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304083(VS.85).aspx ]

Sets or retrieves the hidden state of this element.

[\*\*ariaInvalid Property\*\*](http://msdn.microsoft.com/en-us/library/cc304084(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304084(VS.85).aspx ]

Sets or retrieves the error state of this element.

[\*\*ariaLabelledby Property\*\*](http://msdn.microsoft.com/en-us/library/cc848875(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc848875(VS.85).aspx ]

Sets or retrieves a list of elements that provide a label for the current object.

[\*\*ariaLevel Property\*\*](http://msdn.microsoft.com/en-us/library/cc304085(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304085(VS.85).aspx ]

Sets or retrieves the level of this element.

[\*\*ariaLive Property\*\*](http://msdn.microsoft.com/en-us/library/dd433065(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd433065(VS.85).aspx ]

Sets or retrieves how assistive technology should announce updates to live regions.

[\*\*ariaMultiselect Property\*\*](http://msdn.microsoft.com/en-us/library/cc304086(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304086(VS.85).aspx ]

Sets or retrieves the multiple-selection state of this element.

[\*\*ariaOwns Property\*\*](http://msdn.microsoft.com/en-us/library/cc848876(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc848876(VS.85).aspx ]

Sets or retrieves a list of child objects, including elements that are not direct descendants of the current object.

[\*\*ariaPosinset Property\*\*](http://msdn.microsoft.com/en-us/library/cc304087(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304087(VS.85).aspx ]

Sets or retrieves the current position of an item within a set.

[\*\*ariaPressed Property\*\*](http://msdn.microsoft.com/en-us/library/cc304088(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304088(VS.85).aspx ]

Sets or retrieves the pressed state of a button that can be toggled.

[\*\*ariaReadOnly Property\*\*](http://msdn.microsoft.com/en-us/library/cc304089(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304089(VS.85).aspx ]

Sets or retrieves the read-only state of this element.

[\*\*ariaRelevant Property\*\*](http://msdn.microsoft.com/en-us/library/dd433066(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd433066(VS.85).aspx ]

Sets or retrieves which changes to a live region are relevant.

[\*\*ariaRequired Property\*\*](http://msdn.microsoft.com/en-us/library/cc304090(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304090(VS.85).aspx ]

Sets or retrieves the form-completion requirement of this element.

[\*\*ariaSecret Property\*\*](http://msdn.microsoft.com/en-us/library/cc304091(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304091\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304091(VS.85).aspx) ]

Sets or retrieves the secret state of this element.

[\*\*ariaSelected Property\*\*](http://msdn.microsoft.com/en-us/library/cc304092(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304092\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304092(VS.85).aspx) ]

Sets or retrieves the selection state of this element.

[\*\*ariaSetsize Property\*\*](http://msdn.microsoft.com/en-us/library/cc304093(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304093\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304093(VS.85).aspx) ]

Sets or retrieves the set size of this element.

[\*\*ariaValuemax Property\*\*](http://msdn.microsoft.com/en-us/library/cc848877(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848877\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848877(VS.85).aspx) ]

Sets or retrieves the maximum value that a user can provide.

[\*\*ariaValuemin Property\*\*](http://msdn.microsoft.com/en-us/library/cc848878(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848878\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848878(VS.85).aspx) ]

Sets or retrieves the minimum value that a user can provide.

[\*\*ariaValuenow Property\*\*](http://msdn.microsoft.com/en-us/library/cc848879(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848879\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848879(VS.85).aspx) ]

Sets or retrieves the current value of the element.

[\*\*attributes Property\*\*](http://msdn.microsoft.com/en-us/library/cc304094(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304094\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304094(VS.85).aspx) ]

Retrieves a collection of attributes of the object.

[\*\*className Property\*\*](http://msdn.microsoft.com/en-us/library/ms533560(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/ms533560\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ms533560(VS.85).aspx) ]

Elements with a class name of

`hslice`

are treated as a Web Slice. For more information, see [Subscribing to Content with Web Slices](http://msdn.microsoft.com/en-us/library/cc196992(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc196992\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc196992(VS.85).aspx) ].

[\*\*clear Method\*\*](http://msdn.microsoft.com/en-us/library/cc288131(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc288131\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc288131(VS.85).aspx) ]

Removes all key/value pairs from the DOM Storage area.

[\*\*compatible Property\*\*](http://msdn.microsoft.com/en-us/library/cc196984(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc196984\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc196984(VS.85).aspx) ]

Retrieves the collection of user agents and versions declared in the  
`X-UA-Compatible`

[\*\*constructor Property\*\*](http://msdn.microsoft.com/en-us/library/cc848898(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848898\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848898(VS.85).aspx) ]

Returns a reference to the constructor of an object.

[\*\*ContentDiscoveryReset Method\*\*](http://msdn.microsoft.com/en-us/library/cc289793(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc289793\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc289793(VS.85).aspx) ]

Resets the list of feeds, search providers, and Web Slices associated with the page.

[\*\*contentDocument Property\*\*](http://msdn.microsoft.com/en-us/library/cc196985(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc196985(VS.85).aspx ]

Retrieves the [document](http://msdn.microsoft.com/en-us/library/ms531073(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ms531073(VS.85).aspx ] object of the page or frame.

[\*\*contentType Property\*\*](http://msdn.microsoft.com/en-us/library/cc196986(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc196986(VS.85).aspx ]

Gets the [Content-Type](http://msdn.microsoft.com/en-us/library/ms526508.aspx) [ http://msdn.microsoft.com/en-us/library/ms526508.aspx ] property in the HTML request or response header.

[\*\*data Property\*\*](http://msdn.microsoft.com/en-us/library/cc196987(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc196987(VS.85).aspx ]

Sets or retrieves the body of the [onmessage](http://msdn.microsoft.com/en-us/library/cc197057(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197057(VS.85).aspx ] request.

[\*\*documentMode Property\*\*](http://msdn.microsoft.com/en-us/library/cc196988(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc196988(VS.85).aspx ]

Retrieves the document compatibility mode of the document.

[\*\*font Property\*\*](http://msdn.microsoft.com/en-us/library/cc289600(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc289600(VS.85).aspx ]

This method gets or sets the font properties for the header and footer.

[\*\*getItem Method\*\*](http://msdn.microsoft.com/en-us/library/cc197039(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197039(VS.85).aspx ]

Retrieves the current value associated with the DOM Storage key.

[\*\*getPageMarginBottom Method\*\*](http://msdn.microsoft.com/en-us/library/ee318452(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318452(VS.85).aspx ]

Returns size of bottom margin from a specified @page rule and page dimensions.

[\*\*getPageMarginBottomImportant Method\*\*](http://msdn.microsoft.com/en-us/library/ee318453(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318453(VS.85).aspx ]

Retrieves whether the bottom margin of the specified @page rule is marked as [!important](#) [ http://msdn.microsoft.com/en-us/library/ms530769(VS.85).aspx ].

[\*\*getPageMarginLeft Method\*\*](http://msdn.microsoft.com/en-us/library/ee318454(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318454(VS.85).aspx ]

Returns size of left margin from a specified @page rule and page dimensions.

[\*\*getPageMarginLeftImportant Method\*\*](http://msdn.microsoft.com/en-us/library/ee318455(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318455(VS.85).aspx ]

Retrieves whether the left margin of the specified @page rule is marked as **!important**.

[\*\*getPageMarginRight Method\*\*](http://msdn.microsoft.com/en-us/library/ee318456(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318456(VS.85).aspx ]

Returns size of right margin from a specified @page rule and page dimensions.

[\*\*getPageMarginRightImportant Method\*\*](http://msdn.microsoft.com/en-us/library/ee318457(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318457(VS.85).aspx ]

Retrieves whether the right margin of the specified @page rule is marked as **!important**.

[\*\*getPageMarginTop Method\*\*](http://msdn.microsoft.com/en-us/library/ee318458(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ee318458(VS.85).aspx ]

Returns size of top margin from a specified @page rule and page dimensions.

[\*\*getPageMarginTopImportant Method\*\*](http://msdn.microsoft.com/en-us/library/ee318459(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/ee318459\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ee318459(VS.85).aspx) ]

Retrieves whether the top margin of the specified @page rule is marked as **!important**.

[\*\*hasAttribute Method\*\*](http://msdn.microsoft.com/en-us/library/cc304121(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304121\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304121(VS.85).aspx) ]

Determines whether an attribute with the specified name exists.

[\*\*headerFooterFont Property\*\*](http://msdn.microsoft.com/en-us/library/ee318451(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/ee318451\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ee318451(VS.85).aspx) ]

Sets or retrieves a combination of strings that define font properties of the header and footer.

[\*\*InPrivateFilteringEnabled Method\*\*](http://msdn.microsoft.com/en-us/library/dd425013(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/dd425013\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/dd425013(VS.85).aspx) ]

Detects whether the user has enabled InPrivate Filtering.

[\*\*isAlternate Property\*\*](http://msdn.microsoft.com/en-us/library/cc848900(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848900\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848900(VS.85).aspx) ]

Retrieves a value that indicates whether the [\*\*IHTMLStyleSheet3\*\*](http://msdn.microsoft.com/en-us/library/ee318453(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/ee318453\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ee318453(VS.85).aspx) ] object is an alternative style sheet.

[\*\*isPrefAlternate Property\*\*](http://msdn.microsoft.com/en-us/library/cc848901(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848901\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848901(VS.85).aspx) ]

Retrieves a value that indicates whether the **IHTMLStyleSheet3** object is the preferred style sheet.

[\*\*IsServiceInstalled Method\*\*](http://msdn.microsoft.com/en-us/library/cc197041(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc197041\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc197041(VS.85).aspx) ]

Check if a service is already installed.

[\*\*item Method\*\*](http://msdn.microsoft.com/en-us/library/cc197011(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc197011\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc197011(VS.85).aspx) ]

Retrieves an object from a **documentCompatibleInfoCollection** collection.

[\*\*key Method\*\*](http://msdn.microsoft.com/en-us/library/cc197042(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc197042\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc197042(VS.85).aspx) ]

Retrieves the key at the specified index in the collection.

[\*\*length Property\*\*](http://msdn.microsoft.com/en-us/library/cc304101(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc304101\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc304101(VS.85).aspx) ]

Retrieves the length of the key/value list.

[\*\*localStorage Property\*\*](http://msdn.microsoft.com/en-us/library/cc848902(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc848902\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc848902(VS.85).aspx) ]

Retrieves the DOM Storage area specific to the current document.

[\*\*maxConnectionsPerServer Property\*\*](http://msdn.microsoft.com/en-us/library/cc197013(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/cc197013\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/cc197013(VS.85).aspx) ]

Retrieves the maximum number of concurrent connections to a Web server.

[\*\*msWriteProfilerMark Method\*\*](http://msdn.microsoft.com/en-us/library/dd433074(VS.85).aspx) [ [http://msdn.microsoft.com/en-us/library/dd433074\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/dd433074(VS.85).aspx) ]

Writes a profiling event.

[\*\*open Method\*\*](http://msdn.microsoft.com/en-us/library/cc288168(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc288168(VS.85).aspx ]

Creates a connection with a domain's server.

[\*\*origin Property\*\*](http://msdn.microsoft.com/en-us/library/cc197018(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197018(VS.85).aspx ]

Sets or retrieves the scheme, hostname, and port of the document that fired the **onmessage** event.

[\*\*ownerElement Property\*\*](http://msdn.microsoft.com/en-us/library/dd347028(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd347028(VS.85).aspx ]

Retrieves the element that owns the [\*\*attribute\*\*](http://msdn.microsoft.com/en-us/library/ms535187(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ms535187(VS.85).aspx ].

[\*\*postMessage Method\*\*](http://msdn.microsoft.com/en-us/library/cc197015(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197015(VS.85).aspx ]

Sends a cross-document message.

[\*\*querySelector Method\*\*](http://msdn.microsoft.com/en-us/library/cc288169(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc288169(VS.85).aspx ]

Retrieves the first Document Object Model (DOM) element node from descendants of the starting element node that match any selector within the supplied selector string.

[\*\*querySelectorAll Method\*\*](http://msdn.microsoft.com/en-us/library/cc304115(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304115(VS.85).aspx ]

Retrieves all DOM element nodes from descendants of the starting element node that match any selector within the supplied selector strings.

[\*\*rel Property\*\*](http://msdn.microsoft.com/en-us/library/ms534366(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ms534366(VS.85).aspx ]

Values of

[bookmark](#)

,

[entry-content](#)

, and

[feedurl](#)

have special meaning inside a Web Slice. For more information, see **Subscribing to Content with Web Slices**.

[\*\*remainingSpace Property\*\*](http://msdn.microsoft.com/en-us/library/cc197016(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197016(VS.85).aspx ]

Retrieves the remaining memory space, in bytes, for the storage object.

[\*\*removeItem Method\*\*](http://msdn.microsoft.com/en-us/library/cc197047(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197047(VS.85).aspx ]

Deletes a key/value pair from the DOM Storage collection.

[\*\*responseText Property\*\*](http://msdn.microsoft.com/en-us/library/cc287956(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc287956(VS.85).aspx ]

Contains the body of the response returned by the server.

[\*\*role Property\*\*](http://msdn.microsoft.com/en-us/library/cc304102(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304102(VS.85).aspx ]

Sets or retrieves the role for this element.

[\*\*send Method\*\*](http://msdn.microsoft.com/en-us/library/cc288207(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc288207(VS.85).aspx ]

Transmits a data string to the server for processing.

[\*\*sessionStorage Property\*\*](http://msdn.microsoft.com/en-us/library/cc197020(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197020(VS.85).aspx ]

Retrieves the DOM Storage area for the session.

[\*\*setItem Method\*\*](http://msdn.microsoft.com/en-us/library/cc197050(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197050(VS.85).aspx ]

Sets a key/value pair.

[\*\*source Property\*\*](http://msdn.microsoft.com/en-us/library/cc197021(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197021(VS.85).aspx ]

Retrieves the source [window](#) [ http://msdn.microsoft.com/en-us/library/ms535873(VS.85).aspx ] object of the **onmessage** event.

[\*\*systemXDPI Property\*\*](http://msdn.microsoft.com/en-us/library/dd433062(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd433062(VS.85).aspx ]

Retrieves the number of horizontal dots per inch (dpi) of display resolution at normal zoom level.

[\*\*systemYDPI Property\*\*](http://msdn.microsoft.com/en-us/library/dd433063(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/dd433063(VS.85).aspx ]

Retrieves the number of vertical dpi of display resolution at normal zoom level.

[\*\*timeout Property\*\*](http://msdn.microsoft.com/en-us/library/cc197024(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197024(VS.85).aspx ]

Gets or sets the value of the timeout property.

[\*\*timeout Property\*\*](http://msdn.microsoft.com/en-us/library/cc304105(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304105(VS.85).aspx ]

Gets or sets the time-out value.

[\*\*toStaticHTML Method\*\*](http://msdn.microsoft.com/en-us/library/cc848922(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc848922(VS.85).aspx ]

Removes dynamic HTML elements and attributes from an HTML fragment.

[\*\*updateSettings Method\*\*](http://msdn.microsoft.com/en-us/library/cc848923(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc848923(VS.85).aspx ]

Allows updating the print settings for the page.

[\*\*url Property\*\*](http://msdn.microsoft.com/en-us/library/cc956196(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc956196(VS.85).aspx ]

Sets or retrieves the fully qualified URL of the document that fired the event.

[\*\*url Property\*\*](http://msdn.microsoft.com/en-us/library/cc304099(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304099(VS.85).aspx ]

Sets or retrieves the [URL](#) [ http://msdn.microsoft.com/en-us/library/ms534708(VS.85).aspx ] property that will be loaded after the specified time has elapsed.

[\*\*userAgent Property\*\*](http://msdn.microsoft.com/en-us/library/cc197026(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197026(VS.85).aspx ]

Retrieves the User Agent.

[\*\*version Property\*\*](http://msdn.microsoft.com/en-us/library/ms535131(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ms535131(VS.85).aspx ]

Retrieves the version vector as a string.

[\*\*XDomainRequest Property\*\*](http://msdn.microsoft.com/en-us/library/cc287985(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc287985(VS.85).aspx ]

Instantiates the [XDomainRequest](http://msdn.microsoft.com/en-us/library/cc288060(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc288060(VS.85).aspx ] object for the window.

## Events

[\*\*onerror\*\*](http://msdn.microsoft.com/en-us/library/ms536930(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ms536930(VS.85).aspx ]

Raised when there is an error that prevents the completion of the cross-domain request.

[\*\*onhashchange\*\*](http://msdn.microsoft.com/en-us/library/cc288209(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc288209(VS.85).aspx ]

Raised when there are changes to the portion of a URL that follows the number sign (#).

[\*\*onload\*\*](http://msdn.microsoft.com/en-us/library/ms536942(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/ms536942(VS.85).aspx ]

Raised when the object has been completely received from the server.

[\*\*onmessage\*\*](http://msdn.microsoft.com/en-us/library/cc197057(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197057(VS.85).aspx ]

Fires when the user sends a cross-document message with [postMessage](http://msdn.microsoft.com/en-us/library/cc197015(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197015(VS.85).aspx ].

[\*\*onoffline\*\*](http://msdn.microsoft.com/en-us/library/cc304126(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304126(VS.85).aspx ]

Raised when Internet Explorer is working offline.

[\*\*ononline\*\*](http://msdn.microsoft.com/en-us/library/cc304127(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc304127(VS.85).aspx ]

Raised when Internet Explorer is working online.

[\*\*onprogress\*\*](http://msdn.microsoft.com/en-us/library/cc197058(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197058(VS.85).aspx ]

Raised when the browser starts receiving data from the server.

[\*\*onstorage\*\*](http://msdn.microsoft.com/en-us/library/cc197059(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197059(VS.85).aspx ]

Fires when a DOM Storage area is updated.

[\*\*onstoragecommit\*\*](http://msdn.microsoft.com/en-us/library/cc197060(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197060(VS.85).aspx ]

Fires when a local DOM Storage area is written to disk.

[\*\*ontimeout\*\*](http://msdn.microsoft.com/en-us/library/cc197061(VS.85).aspx) [ http://msdn.microsoft.com/en-us/library/cc197061(VS.85).aspx ]

Raised when there is an error that prevents the completion of the request.

---

## Tags:



## Community Content